Stark County's Influenza Weekly Report Week 16 (4/16/17-4/22/17)




During Week 16:

- Stark County had no additional influenza-associated hospitalizations.
- Nationally, six influenza-associated pediatric deaths were reported, none from Stark County.

So Far this Year:

- There have been 319 influenza-associated hospitalizations in Stark County.
 - Those hospitalized for influenza have ranged from 3 weeks to 100 years of age.
 - The median age for those hospitalized is 70 years.
- The national cumulative rate for influenza-associated hospitalizations was 62.7 per 100, 000 population.
- Up to week 16, 30,989 specimens collected nationally from public health laboratories were typed influenza A. This was 80.3% of all specimens collected. Of these, 2.7% subtyped as the 2009 H1N1 virus, 96.2% subtyped as the H3 virus, and subtyping was not performed on the rest of them.
- Nationally, 83 influenza-associated pediatric deaths were reported so far this year. Last year there was a total of 89.




<u>Viruses Circulating vs. Viruses in this Year's Vaccine:</u>

- Nationally since October 1, 2016, 900 specimens were characterized as Influenza A.
 - ➤ There were 647 influenza A (H3N2) viruses collected and 96.6% matched the influenza A (H3N2) component in this year's vaccine. There were 253 influenza A (H1N1) viruses collected and 99.2% matched the influenza A (H1N1) component in this year's vaccine.
- Nationally since October 1, 2016, 579 specimens were characterized as Influenza B.
 - ➤ Of these, 312 subtyped from the Yamagata Lineage and 267 subtyped from the Victorian Lineage. Of these specimens, 100% of the Yamagata Lineage matched the Influenza B component of the 2016-2017 vaccine and 89.9% of the Victorian Lineage matched.
- According to the MMWR published on February 17, 2017, this year's influenza vaccine is 48% effective. This is from data collected from November 28th, 2016 until February 4th, 2017 from a group of 3,144 children and adults. According to the Centers for Disease Control and Prevention these interim estimates indicate that influenza vaccination reduced to the risk for outpatient medical visits by almost half.

- * All data presented in this weekly report are preliminary and may change as additional information is received.
- * Multiyear averages included in this weekly report do not include the 2009/2010 H1N1 season.
 - If you have any questions please contact Julia Wagner at 330.493.9914 or Wagnerj@starkhealth.org


Graph 1: Hospitalized Influenza Cases Reported to the Local Health Department.

♦ There were zero influenza-associated hospitalizations during week 16. This was above the five cases occurring on average during this week. So far this year there have had a total of 319 influenza-associated hospitalizations while on average by this time there have been only almost 253 hospitalizations.




Graph 2: Hospitalized and Non-Hospitalized Influenza Cases Reported to the Local Health Department.

◆ There were three cases of hospitalized and non-hospitalized influenza reported for Week 16 in Stark County. Last year there were 18 cases reported this week. Stark County increased to 943 cases reported so far this year compared to the 412 cases reported so far last year.



Graph 3: Sentinel Provider Reported Influenza Like Illness (ILI) in Stark County.

 During week 16 the Stark County Sentinel Providers did not report any visits for ILI. The national reports decreased once again and remained below the national baseline.




- * All data presented in this weekly report are preliminary and may change as additional information is received.
- * Multiyear averages included in this weekly report do not include the 2009/2010 H1N1 season.
 - If you have any questions please contact Julia Wagner at 330.493.9914 or Wagneri@starkhealth.org

Graph 4: Emergency Department Visits for Respiratory and Constitutional Syndromes.

(Source: Health Monitoring Systems, EpiCenter, Hospital and Stat Care Patient Registration Surveillance System)


◆ ED and Stat Care visits for respiratory and constitutional syndrome decreased for the ninth consecutive week, but remained above the multi-year baseline average during week 16.



Graph 5: Emergency Department (ED) Visits for Influenza Like Illness (+Fever).

(Source: Health Monitoring Systems, EpiCenter, Hospital and Stat Care Patient Registration Surveillance System)


◆ ED and Stat Care visits for ILI + Fever for MMWR week 16 decreased for a fourth consecutive week, but remained above the multi-year average.



Graph 6: Stark County School Absenteeism.

(Source: Voluntary reporting by multiple school districts throughout the county)

 School absenteeism reporting is finished for the 2016-2017 season.




- * All data presented in this weekly report are preliminary and may change as additional information is received.
- * Multiyear averages included in this weekly report do not include the 2009/2010 H1N1 season.
 - If you have any questions please contact Julia Wagner at 330.493.9914 or Wagnerj@starkhealth.org

Map: Weekly Geographic Influenza Activity Estimates Reported by State and Territorial Epidemiologists Syndromes.

(Source: Health Monitoring Systems, EpiCenter, hospital and stat care patient registration surveillance system)

 During week 16, Ohio reported a reduction to only regional influenza activity. There were only seven other states remaining at widespread influenza activity.





Alliance City Health
Department
cityofalliance.com/health



Canton City Health
Department
cantonhealth.org



Massillon City Health
Department
massillonohio.com/health



Stark County Health Department starkhealth.org

- * All data presented in this weekly report are preliminary and may change as additional information is received.
- * Multiyear averages included in this weekly report do not include the 2009/2010 H1N1 season.
 - If you have any questions please contact Julia Wagner at 330.493.9914 or Wagnerj@starkhealth.org