



Building Name: Room/ Lab Number:

Emergency Contact Name	Day Phone	Night Phone
1. <input type="text" value="Christina R Henning"/>	<input type="text" value="330.438.4671"/>	<input type="text" value="330.354.6019"/>
2. <input type="text" value="James Adams"/>	<input type="text" value="330.438.4676"/>	<input type="text" value="330.323.2143"/>

Required Personal Protective Equipment

- | | | |
|---|--|--|
| <input type="checkbox"/> Lab Coat | <input type="checkbox"/> Appropriate Gloves | <input checked="" type="checkbox"/> Other: <input type="text" value="PPE required only when hazards are in use and are hazard specific."/> |
| <input type="checkbox"/> Safety Glasses | <input type="checkbox"/> Face Shield | |
| <input type="checkbox"/> Closed-toe Shoes | <input type="checkbox"/> Face Mask/ Respirator | |


HAZARDS PRESENT

- | | |
|--|--|
| <input type="checkbox"/> Flammable Gases | <input checked="" type="checkbox"/> Biohazards (infections, recombinant DNA) |
| <input checked="" type="checkbox"/> Flammable Liquids | <input type="checkbox"/> Animals |
| <input type="checkbox"/> Noxious Gases or Vapors | <input type="checkbox"/> Projects under pressure or vacuum |
| <input checked="" type="checkbox"/> Corrosive Liquids (Acids or Bases) | <input type="checkbox"/> Continuously heated or cooled projects |
| <input type="checkbox"/> Water Reactive Materials | <input type="checkbox"/> High voltage |
| <input type="checkbox"/> Neurotoxins | <input checked="" type="checkbox"/> Computers |
| <input type="checkbox"/> Radioactive Materials | <input type="checkbox"/> Lasers |
| <input type="checkbox"/> Other (list below) | |

List Specifics:

-
-
-
-
-
-
-
-

Updated:



WARNING – THIS AREA CONTAINS A CHEMICAL KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER OR BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM