



## STARK COUNTY INFLUENZA SNAPSHOT, WEEK 07

Week ending February 18, 2012, with updates through 02/26/2012.

All data are preliminary and may change as additional information is received.


NOTE: Compilation of multiyear averages do not include the 2009/2010 H1N1 season.

During week 07, (Feb 12-18, 2012) influenza activity in the United States increased slightly but remained relatively low. Stark County remained relatively constant during week 7 with minor increases noted in influenza related Over-The-Counter sales of Cough/Cold Products, school absenteeism, and Emergency Department visits. One additional hospitalization was reported in a Stark County resident. The state of Ohio remains at Sporadic activity.


- One Hospitalization and one medically/laboratory reported case of influenza were reported in Stark County residents during CDC Week 07. Five hospitalizations have been reported this season. (Graph 1)
- Demographics for the 5 influenza-associated hospitalized cases during the 2011-2012 season in Stark County:
  - age range is 29–87 years,
  - median of 62 years,
  - 4 of the 5 cases were Caucasian, with the 5<sup>th</sup> race unknown.
- Among the eight cases of influenza identified in Stark County, three have been type B, one was Type A (H3), one was Type A (H1N1) and two are Type A with unknown characterization. (See Graph 2)
- The CDC has antigenically characterized 397 influenza viruses since Oct 1, 2011: 58 (15%) 2009 H1N1, 291 (73%) influenza A (H3N2) viruses, and 48 (12%) influenza B viruses (22 Victoria Lineage which is a part of this season's vaccine and 26 of the Yamagata Lineage). The CDC continues to report that it is too early to determine how well the seasonal vaccine and circulating stains will match.
- Week 07 indicators of outpatient activity of influenza-like-illness (ILI), as reported by National Sentinel Providers, **remained constant** at 1.9%. The National outpatient activity level remains below the epidemic baseline of 2.4%. Stark County Provider reports dropped to < 1% of patients with ILI. (Graph 3)
- Emergency Department visits specifically for symptoms consistent with Constitutional and Respiratory symptoms (C & R) continued their 5<sup>th</sup> week of increases. Another syndrome, Influenza-Like-Illness (ILI) + Fever **increased** during CDC Week 7, however during week 8 this syndrome decreased. (Graph 4)
- Week 7 revealed an increase in Over-The-Counter (OTC) sales of cough and cold products and a decrease of thermometer sales. Sales of both categories of OTC products remain below seasonally expected levels. (Graph 5)
- 54 Schools reported a slight **increase** in school absenteeism during CDC Week 7. Currently, the total median absenteeism is 4.4% from 4.1% in CDC Week 6. (See Graph 6)
- During week 7 both California and Colorado reported Widespread influenza activity. Regional activity was reported in 13, Local activity was reported in 20, and the State of Ohio along with 12 other states reported "**Sporadic**" influenza activity. (Sporadic activity is defined as small numbers of laboratory-confirmed influenza cases or a single laboratory-confirmed influenza outbreak has been reported, but there is no increase in cases of ILI). (See Map)
- During CDC Week 07, National Pneumonia and Influenza (P & I) Mortality Surveillance of all deaths reported through the 122 Cities Mortality Reporting System as due to P & I, **increased** to 7.3%. This is below the P & I epidemic threshold, currently at 7.9%.
- Nationally, no influenza-associated pediatric deaths were reported to CDC during week 7. Three influenza-associated pediatric deaths have been reported during the 2011-2012 season.

For questions, or to receive this report weekly by email, send requests to either [chenning@cantonhealth.org](mailto:chenning@cantonhealth.org) or [drinkardl@starkhealth.org](mailto:drinkardl@starkhealth.org).

**Graph 1: Influenza Cases reported to Local Health Departments** Note, Influenza is only reportable if associated with a hospitalization; therefore, this only represents a small number of actual influenza cases in Stark County.




**Graph 2: Stark County Influenza Type, by CDC Week in Stark County.** The graph depicts the number of cases reported with hospitalization and by the medical community combined, per CDC week. All cases are Stark County residents.




**Graph 3: Sentinel Provider Reported Influenza-Like-Illness in Stark County**

Sentinel Providers-An influenza sentinel provider conducts surveillance for influenza-like illness (ILI) in collaboration with the state health department and the Centers for Disease Control and Prevention (CDC). Data reported by Stark Counties 4 providers are combined with other influenza surveillance data to provide a national picture of influenza virus and ILI activity.




**Graph 4: Emergency Department Visits for combined Respiratory and Constitutional Syndromes**  
 (Source Health Monitoring Systems, EpiCenter, hospital and stat care patient registration surveillance system)  
 (Note a loss of data was observed from 3 small facilities during CDC weeks 42-46)




**Graph 5: Over-The-Counter Sales of Cough/Cold Product Sales in Stark County Over-The-Counter Sales of Thermometers in Stark County**


Source: RODS Real time Outbreak Disease Surveillance, Retail pharmaceutical sales.



**Graph 6: School Absenteeism.** School systems from throughout Stark County report total absenteeism and absenteeism due to influenza-like-illness on a weekly basis.




**Map: Weekly Geographic Influenza Activity Estimates Reported by State and Territorial Epidemiologists**  
 (Inset is previous week)



# FLUVIEW

**A Weekly Influenza Surveillance Report Prepared by the Influenza Division**  
**Weekly Influenza Activity Estimates Reported by State and Territorial Epidemiologists\***

**Week Ending February 18, 2012- Week 7**



\*This map indicates geographic spread and does not measure the severity of influenza activity.

## Sources of Influenza Surveillance Data

Six types of data sources are examined on a weekly basis to help paint a picture of influenza activity in our community:

- **Emergency Department Visits (EpiCenter):** EpiCenter collects emergency department chief complaint data from 4 hospital facilities and 5 Stat Cares across Stark County in real time and classifies them into symptom and syndrome categories. Chief complaints from the combined constitutional and respiratory syndrome category and the fever + ILI symptoms classifier are analyzed for influenza surveillance. Secure sign in source: <https://epicenter.hmsinc.com/epicenter/login.html>.
- **National Retail Data Monitor (NRDM)-OTC Drug Purchases:** The NRDM collects over-the-counter (OTC) drug sales information from approximately 1,420 Ohio chain drug stores and grocery stores. For influenza surveillance, thermometer and adult cold relief sales are monitored on a weekly basis from sales in Stark County. Secure sign in source: <https://www.rods.pitt.edu/rods3/>.
- **Sentinel Providers (ILINet):** Sentinel providers, through the US Influenza-like Illness Surveillance Network (ILINet), collect outpatient ILI data. Providers report the total number of patients seen and the number of patients with ILI by age group on a weekly basis. Sentinel providers also submit specimens for influenza testing to the ODH laboratory throughout the influenza season. There are 68 sentinel providers enrolled in Ohio and 3 in Stark County for the 2011-2012 season. Source: Ohio Department of Health Influenza Surveillance Coordinator.
- **ODH and Local Laboratory Surveillance:** The Ohio Department of Health Laboratory reports the number of specimens that test positive for influenza each week. Generally, specimens are submitted by sentinel provider participants. A subset of the positive specimens is sent to CDC for further testing during the season. Laboratory reports from larger physician practices and hospital laboratories in the county are voluntarily submitted each week to the four health departments. They may include age, zip code, and race and help to describe the demographic pattern of illness and type of influenza circulating in the community. Source for ODH information: <http://www.odh.ohio.gov/features/odhfeatures/seasflu/ohfluactivity.aspx> and individual medical and laboratory reports.
- **Influenza-associated Hospitalizations (ODRS):** Influenza-associated hospitalizations are reported to the four local health departments and hospitals by direct entry into the Ohio Disease Reporting System (ODRS). Hospitalizations can be used as an indicator of the severity of illness during a particular influenza season. This condition became reportable in 2009. Secure sign in source: <https://odhgateway.odh.ohio.gov/singlesignon/>.
- **School Absenteeism, total and ILI:** Numerous school systems of various sizes in Stark County report the number of students absent for medical reasons and for specific medical conditions including ILI. Increases in school absenteeism for ILI are often an early indicator to larger community trends. Source: Individual school reporting.