

Stark County's Influenza Weekly Report

Week 12 (03/18/2018 – 03/24/2018)




Public Health
Prevent. Promote. Protect.

During Week 12:

- Stark County had 23 additional influenza-associated hospitalizations.
- Nationally, four influenza-associated pediatric deaths reported, zero were from Stark County.
- During week 12, 131 influenza A specimens were collected nationally from public health laboratories, which made up 35.6% of all positive specimens; 68.7% subtyped as H3N2, 26% as H1N1, and the remainder were not subtyped.

So Far this Year:

- There have been 630 influenza-associated hospitalizations in Stark County.
 - Those hospitalized for influenza have ranged from 1 month old to 100 years of age, with the median being 71 years.
- A cumulative rate of 96.1 laboratory-confirmed influenza-associated hospitalizations per 100,000 population was reported.
- Up to week 12, 35,415 collected nationally from public health laboratories were typed influenza A. This was 75.1% of all specimens collected. Of these, 13.5% subtyped as the 2009 H1N1 virus, 84.8% subtyped as the H3 virus, and subtyping was not performed on the rest of them.
- Nationally, 137 influenza-associated pediatric deaths were reported so far this year. Last year, at the same time, there were 61 deaths reported for the season.
- One human infection with a novel influenza A virus (H1N1v) was reported from Iowa during week 46.




Viruses Circulating vs. Viruses in this Year's Vaccine:

- Nationally since October 1, 2017, 1620 influenza viruses were characterized as Influenza A.
 - There were 1042 influenza A (H3N2) viruses collected. 97.2% of those antigenically characterized matched the influenza A (H3N2) component in this year's vaccine. There were 578 influenza A (H1N1) viruses collected; all of those characterized matched the influenza A (H1N1) component in this year's vaccine.
- Nationally since October 1, 2017, 764 influenza viruses were characterized as Influenza B.
 - Of these, 611 subtyped from the Yamagata Lineage and 153 subtyped from the Victorian Lineage. Of these specimens, 100% of the Yamagata Lineage matched the Influenza B component of the 2017-2018 vaccine and 28.6% of the Victorian Lineage matched.

Graph 1: Hospitalized and Non-Hospitalized Influenza Cases Reported to the Local Health Department.

- ◆ There were a total of 47 cases of hospitalized and non-hospitalized influenza reported for Week 12 in Stark County. Last year there were 58 cases reported this week. Stark County increased to 1630 cases reported so far this year, compared to 852 cases reported so far last year.




* All data presented in this weekly report are preliminary and may change as additional information is received.

* Multiyear averages included in this weekly report do not include the 2009/2010 H1N1 season.

➢ If you have any questions please contact Avi Joseph at 330.493.9914 or josepha@starkhealth.org or Amanda Archer at 330.489.3327 or aarcher@cantonhealth.org

Graph 2: Sentinel Provider Reported Influenza Like Illness (ILI) in Stark County.


- During week 12, Stark County Sentinel Providers did not report. Nationally, it was reported that 2.5% of visits were for ILI, which continues to be above the national baseline of 2.2% of visits, but show a 5 point continued decrease from the previous weeks. Chart is updated to reflect data received from Sentinel Providers from previous weeks.



Graph 3: Emergency Department Visits for Respiratory and Constitutional Syndromes.

(Source: Health Monitoring Systems, EpiCenter, Hospital and Stat Care Patient Registration Surveillance System)


- ED and Stat Care visits for respiratory and constitutional syndrome show a slight uptick from the previous down trend and is still above the multi-year baseline average during week 12.



Graph 4: Emergency Department (ED) Visits for Influenza Like Illness (+Fever).

(Source: Health Monitoring Systems, EpiCenter, Hospital and Stat Care Patient Registration Surveillance System)

- ◆ ED and Stat Care visits for ILI + Fever for MMWR week 12 show an increase from the previous down trend, and is still above the multi-year average.



* All data presented in this weekly report are preliminary and may change as additional information is received.


* Multiyear averages included in this weekly report do not include the 2009/2010 H1N1 season.

➤ If you have any questions please contact Avi Joseph at 330.493.9914 or josepha@starkhealth.org or Amanda Archer at 330.489.3327 or aarcher@cantonhealth.org

Graph 5: Stark County School Absenteeism.

(Source: Voluntary reporting by multiple school districts throughout the county)


- ◆ During week 12, there were 51 school absenteeism reports submitted. Of those, the total median absenteeism increased slightly. Those absent specifically with influenza-like-illness increased slightly, but remains below 1%.



Map: Weekly Geographic Influenza Activity Estimates Reported by State and Territorial Epidemiologists Syndromes.

(Source: Health Monitoring Systems, EpiCenter, hospital and stat care patient registration surveillance system)

- ◆ During week 12, Ohio's influenza activity maintained as widespread, along with 15 other states. Regional activity: 22 states Local activity: 8 states Sporadic activity: 4 states



Alliance City Health Department
cityofalliance.com/health



Promoting and Protecting Health Since 1849
Canton City Health Department
cantonhealth.org



Massillon City Health Department
massillonohio.com/health



Stark County Health Department
starkhealth.org

* All data presented in this weekly report are preliminary and may change as additional information is received.

* Multiyear averages included in this weekly report do not include the 2009/2010 H1N1 season.

➤ If you have any questions please contact Avi Joseph at 330.493.9914 or josepha@starkhealth.org or Amanda Archer at 330.489.3327 or aarcher@cantonhealth.org