

Stark County's Influenza Weekly Report


Week 18 (5/1/16-5/7/16)

During this Week of the Flu Season:

- During week eighteen, Stark County had two influenza-associated hospitalizations.
- During week eighteen, National Pneumonia and Influenza (I&P) Mortality Surveillance of all deaths reported through the 122 Cities Mortality Reporting System as due to I&P was at 6.7%. This is below the 6.8% epidemic threshold.
- Nationally, three additional influenza-associated pediatric deaths were reported during week seventeen.


So Far this Flu Season: 10/4/2015-present

- So far this season in Stark County there has been 154 influenza-associated hospitalizations.
- In Stark County, 52% of influenza-associated hospitalizations were 65 years of age or older.
- There is a national cumulative rate for laboratory-confirmed influenza-associated hospitalizations of 31.0 per 100,000 population.
- So far this year, 18,251 influenza A specimens were collected and tested by public health laboratories, 79.8% subtyped as the 2009 H1N1 virus, 18.4% subtyped as the H3 virus, and the rest were not subtyped.
- Nationally, 516 of the influenza A (H3N2) viruses collected were antigenetically characterized since October 1, 2015. Of those characterized, none were drifted (significantly different) that this year's influenza vaccine.
- Since October 1, 2015, 704 specimens have been characterized nationally as Influenza B. There were 390 subtyped from the Yamagata Lineage leaving 314 subtyped from the Victorian Lineage.
- There have been 67 pediatric deaths nationally so far this season.



Graph 1: Influenza Cases Reported to the Local Health Departments in Stark County.

- ◆ During week eighteen, there were seven reports of hospitalized and non-hospitalized influenza. This week last year had one report.
- ◆ This year's reports total at 429 cases. The total number of reports up to this week last year was 1,068.




* All data presented in this weekly report are preliminary and may change as additional information is received.

* Multiyear averages included in this weekly report do not include the 2009/2010 H1N1 season.

Graph 2: Sentinel Provider Reported Influenza Like Illness (ILI) in Stark County.


◆ During week eighteen, there were zero reports of patient visits for ILI from the Stark County sentinel providers. The national percentage of reports remained slightly below baseline.



Graph 3: Emergency Department Visits for Respiratory and Constitutional Syndromes.

(Source: Health Monitoring Systems, EpiCenter, Hospital and Stat Care Patient Registration Surveillance System)


◆ During week eighteen, ED and Stat Care visits for respiratory and constitutional syndrome decreased again, but remained above the multi-year baseline.



Graph 4: Emergency Department (ED) Visits for Influenza Like Illness (+Fever).

(Source: Health Monitoring Systems, EpiCenter, Hospital and Stat Care Patient Registration Surveillance System)

◆ During week eighteen, the ED and Stat Care visits for ILI + Fever decreased again, but remained above the multi-year baseline.




* All data presented in this weekly report are preliminary and may change as additional information is received.

* Multiyear averages included in this weekly report do not include the 2009/2010 H1N1 season.

Graph 5: Stark County School Absenteeism.

(Source: Voluntary reporting by multiple school districts throughout the county)


- ◆ School absenteeism reporting ended on 4/1/2016. No more school reports will be added for the rest of the 2015-2016 influenza season.



Map: Weekly Geographic Influenza Activity Estimates Reported by State and Territorial Epidemiologists Syndromes.

(Source: Health Monitoring Systems, EpiCenter, hospital and stat care patient registration surveillance system)

- ◆ During week eighteen, Ohio remained at regional spread of influenza activity. Three states remained at widespread influenza activity during this week.



*This map indicates geographic spread and does not measure the severity of influenza activity.

* All data presented in this weekly report are preliminary and may change as additional information is received.

* Multiyear averages included in this weekly report do not include the 2009/2010 H1N1 season.