

Stark County's Influenza Weekly Report

Week 2 (01/05/2020 – 01/11/2020)




Public Health
Prevent. Promote. Protect.

During Week 2:

- Stark County had 14 influenza-associated hospitalization.
- Nationally, seven influenza-associated pediatric deaths was reported.
- During week 2, the following specimens were collected nationally from public health laboratories:

Type/Subtype	Week 2	% Week 2
Influenza A	579	50.4%
(H1N1)pdm09	504	93.3%
H3N2	36	6.7%
The remainder were not subtyped		
Influenza B	569	49.6%
Yamagata	5	1.2%
Victoria	422	98.8%
The remainder were not subtyped		

Stark County Positive Influenza Cases by Type




So Far this Year:

- There have been 56 influenza-associated hospitalizations in Stark County since 9/29/2019. *Two additional cases were reported before Week 40 2019.*
 - The median age is 56.5 years, with a range of 9 months to 90 years.
- A cumulative rate of 19.9 laboratory-confirmed influenza-associated hospitalizations per 100,000 population was reported.
- Nationally, 39 influenza-associated pediatric deaths were reported so far this year
- Up to week 2, the following specimens were collected nationally from public health laboratories:


Type/Subtype	YTD	% YTD
Influenza A	6748	43.3%
(H1N1)pdm09	5500	84.2%
H3N2	1031	15.8%
The remainder were not subtyped		
Influenza B	8832	56.7%
Yamagata	130	2.0%
Victoria	6466	98.0%
The remainder were not subtyped		

Stark County Age Adjusted & Cumulative Rate of Influenza-Associated Hospitalizations per 100,000.



Graph 1: Hospitalized and Non-Hospitalized Influenza Cases Reported to the Local Health Department.


- ◆ There were 72 cases of hospitalized and non-hospitalized influenza reported for Week 2 in Stark County, compared to 18 cases last year. Stark County increased to 252 cases reported YTD compared to 77 cases reported last year.



Graph 2: Sentinel Provider Reported Influenza Like Illness (ILI) in Stark County.

(Source: U.S. Outpatient Influenza-like Illness Surveillance Network (ILINet))


- ◆ During week 2, Stark County Sentinel Providers reported that 0.60% of their patient visits were due to ILI. The national reports show that 4.7% of patient visits are due to ILI, which was a decrease from the previous week, but remained above the 2.4% baseline.



Graph 3: Emergency Department Visits for Respiratory and Constitutional Syndromes.

(Source: Health Monitoring Systems, EpiCenter, Hospital and Stat Care Patient Registration Surveillance System)


- ◆ ED and Stat Care visits for respiratory and constitutional syndrome increased to 34.02% of ED visits, and remained above the multi-year baseline average during week 2.



Graph 4: Emergency Department (ED) Visits for Influenza Like Illness (+Fever).

(Source: Health Monitoring Systems, EpiCenter, Hospital and Stat Care Patient Registration Surveillance System)

- ◆ ED and Stat Care visits for ILI + Fever for MMWR week 2 slightly decreased to 4.32% of ED visits, and remained above the multi-year average.




- All data presented in this weekly report are preliminary and may change as additional information is received.
- Multiyear averages included in this weekly report do not include the 2009/2010 H1N1 season.
- If you have any questions please contact Avi Joseph at 330.493.9914 or josepha@starkhealth.org or Amanda Archer at 330.489.3327 or aarcher@cantonhealth.org

Graph 5: Stark County School Absenteeism.

(Source: Voluntary reporting by multiple school districts throughout the county)

- ◆ During week 2, Stark County schools reported that ILI related absenteeism was 0.72% of all absenteeism, and the total median absenteeism was 4.72%. Fifty three schools reported.



Map: Weekly Geographic Influenza Activity Estimates Reported by State and Territorial Epidemiologists Syndromes.

(Source: Health Monitoring Systems, EpiCenter, hospital and stat care patient registration surveillance system)

- ◆ During week 2, Ohio continued to report widespread influenza activity, along with 47 other states & Puerto Rico
Regional activity – 1 states
Local activity – 1 state & DC
Sporadic activity - USVI



A Weekly Influenza Surveillance Report Prepared by the Influenza Division

Weekly Influenza Activity Estimates Reported by State and Territorial Epidemiologists*

Week Ending Jan 11, 2020 - Week 2



*This map indicates geographic spread and does not measure the severity of influenza activity.



Healthy Lifestyles, Healthy Community
Alliance City
Health Department
cityofalliance.com/health



Public Health
Prevent. Promote. Protect.
Canton City Public Health
Canton City
Public Health
cantonhealth.org



Health Department
Massillon City
Health Department
massillonohio.com/health



Stark County
Health Department
starkhealth.org

- All data presented in this weekly report are preliminary and may change as additional information is received.
- Multiyear averages included in this weekly report do not include the 2009/2010 H1N1 season.
 - If you have any questions please contact Avi Joseph at 330.493.9914 or josepha@starkhealth.org or Amanda Archer at 330.489.3327 or aarcher@cantonhealth.org