

# Stark County's Influenza Weekly Report

**Week 43 (10/25/15-10/31/15)**

## **Four Weeks into the Season**

- During week 43 Stark County continued with zero influenza-associated hospitalizations.
- The national cumulative rate for laboratory-confirmed influenza-associated hospitalizations per 100, 000 population is still not available yet this season.
- So far this year, 147 influenza A specimens were collected and tested by public health laboratories, 12.2% subtyped as the 2009 H1N1 virus, 82.3% subtyped as the H3 virus, and the rest were not subtyped.
- Nationally, 219 of the influenza A (H3N2) viruses collected were antigenetically characterized prior to October 1, 2015. Of those characterized, none were drifted (significantly different) that this year's influenza vaccine.
- Of the 71 specimens characterized nationally as Influenza B, 44 subtyped from the Yamagata Lineage and 27 subtyped from the Victorian Lineage.
- During week 43, National Pneumonia and Influenza (I&P) Mortality Surveillance of all deaths reported through the 122 Cities Mortality Reporting System as due to I&P was at 5.5%. This is below the 6.1% epidemic threshold.
- Nationally, no influenza-associated pediatric deaths have been reported.

## **Graph 1: Influenza Cases Reported to the Local Health Department.**


- ◆ There were no cases of hospitalized nor non-hospitalized cases of influenza to report for Week 43 in Stark County.

*\* All data presented in this weekly report are preliminary and may change as additional information is received.*

*\* Multiyear averages included in this weekly report do not include the 2009/2010 H1N1 season.*

**Graph 2: Sentinel Provider Reported Influenza Like Illness (ILI) in Stark County.**


- ◆ Sentinel provider influenza-like illness (ILI) reports for Stark County remained below the national ILI number of reports as well as the national baseline.



**Graph 3: Emergency Department Visits for Respiratory and Constitutional Syndromes.**

(Source: Health Monitoring Systems, EpiCenter, Hospital and Stat Care Patient Registration Surveillance System)


- ◆ ED and Stat Care visits for respiratory and constitutional syndrome remained above the multi-year baseline during week 43.



**Graph 4: Emergency Department (ED) Visits for Influenza Like Illness (+Fever).**

(Source: Health Monitoring Systems, EpiCenter, Hospital and Stat Care Patient Registration Surveillance System)

- ◆ ED and Stat Care visits for ILI + Fever decreased during week 43 and remained below the multi-year baseline.




\* All data presented in this weekly report are preliminary and may change as additional information is received.  
 \* Multiyear averages included in this weekly report do not include the 2009/2010 H1N1 season.

**Graph 5: Stark County School Absenteeism.**

(Source: Voluntary reporting by multiple school districts throughout the county)

◆ The median absenteeism for influenza-like-illness slightly decreased during week 43, but remained well below 1%.



**Map: Weekly Geographic Influenza Activity Estimates Reported by State and Territorial Epidemiologists Syndromes.**

(Source: Health Monitoring Systems, EpiCenter, hospital and stat care patient registration surveillance system)


◆ During week 43, Ohio had sporadic influenza activity. Eight states still had no influenza activity reported.

# FLUVIEW



A Weekly Influenza Surveillance Report Prepared by the Influenza Division  
Weekly Influenza Activity Estimates Reported by State and Territorial Epidemiologists\*

Week Ending October 31, 2015- Week 43



\*This map indicates geographic spread and does not measure the severity of influenza activity.

\* All data presented in this weekly report are preliminary and may change as additional information is received.

\* Multiyear averages included in this weekly report do not include the 2009/2010 H1N1 season.