

Stark County's Weekly Influenza Report

Week 5 (2/1/15-2/7/15)






The predominate strain identified locally has been influenza A (97%). Nationally, influenza A stands at 94% of the specimens tested.

Eighteen Weeks into the Season

- During MMWR week 5 there were 15 influenza-associated hospitalizations in Stark County. This increased the total to 477 hospitalizations for the season.
- In Stark County, 70% of the season's influenza-associated hospitalizations were age 65 or older.
- Nationally the cumulative rate for the season thus far is 44.1 laboratory-confirmed influenza-associated hospitalizations per 100, 000 population.
- Of the 82,449 influenza A specimens collected nationally, 0.2% subtyped as the 2009 H1N1 virus, 45% subtyped as the H3 virus, and the rest were not subtyped.
- Nationally, 634 of the influenza A (H3N2) viruses collected were antigenetically characterized since October 1, 2014. Of those characterized, 69% were drifted (significantly different) that this year's influenza vaccine.
- Of the 154 specimens characterized nationally as Influenza B, 107 subtyped from the Yamagata Lineage and 47 subtyped from the Victorian Lineage.
- During week 5, National Pneumonia and Influenza (I&P) Mortality Surveillance of all deaths reported through the 122 Cities Mortality Reporting System as due to I&P was at 8.1%. This is above the 7.2% epidemic threshold.
- Nationally, a total of 80 influenza-associated pediatric deaths have been reported. Out of those deaths, 11 were reported during week 5. Stark County remains having no pediatric deaths associated with influenza.

Graph 1: Influenza Cases Reported to the Local Health Department.


- ◆ During week 5 there was a total of 26 reports of hospitalized and nonhospitalized influenza. This week last year had 17 cases.
- ◆This year's reports total at 841. The total number of reports for last year by this week was 559.



- * All data presented in this weekly report are preliminary and may change as additional information is received.
- * Multiyear averages included in this weekly report do not include the 2009/2010 H1N1 season.

<u>Graph 2: Sentinel Provider Reported Influenza Like Illness (ILI) in Stark County.</u>


◆ There were no reports from the Stark County Sentinel Providers during week 5.



Graph 3: Emergency Department Visits for Respiratory and Constitutional Syndromes.

(Source: Health Monitoring Systems, EpiCenter, Hospital and Stat Care Patient Registration Surveillance System)


◆ ED and Stat Care visits for respiratory and constitutional syndrome displayed a slight increase and remained above the multi-year baseline.



Graph 4: Emergency Department (ED) Visits for Influenza Like Illness (+Fever).

(Source: Health Monitoring Systems, EpiCenter, Hospital and Stat Care Patient Registration Surveillance System)

◆ ED and Stat Care visits for respiratory and constitutional syndrome displayed a slight increase and remained above the multi-year baseline.




- * All data presented in this weekly report are preliminary and may change as additional information is received.
- * Multiyear averages included in this weekly report do not include the 2009/2010 H1N1 season.

Graph 5: Stark County School Absenteeism.

(Source: Voluntary reporting by multiple school districts throughout the county)


 No school absenteeism reports were given during week 52 and week 53 due to the holidays.
Absenteeism increased during week 5.



Map: Weekly Geographic Influenza Activity Estimates Reported by State and Territorial Epidemiologists Syndromes.

(Source: Health Monitoring Systems, EpiCenter, hospital and stat care patient registration surveillance system)

♦ During week 5, Ohio held influenza activity at widespread. Across the nation a total of 32 states reported widespread influenza activity.



- *This map indicates geographic spread and does not measure the severity of influenza activity.
- * All data presented in this weekly report are preliminary and may change as additional information is received.
- * Multiyear averages included in this weekly report do not include the 2009/2010 H1N1 season.