

Stark County's Influenza Weekly Report


Week 6 (2/7/16-2/13/16)

During this Week of the Flu Season:

- During week six, Stark County had six influenza-associated hospitalizations.
- During week six, National Pneumonia and Influenza (I&P) Mortality Surveillance of all deaths reported through the 122 Cities Mortality Reporting System as due to I&P was at 6.9%. This is below the 7.3% epidemic threshold.
- Nationally, two influenza-associated pediatric deaths were reported during week six.


So Far this Flu Season: 10/4/2015-present

- So far this season in Stark County there has been 17 influenza-associated hospitalizations.
- In Stark County, 41% of influenza-associated hospitalizations were 65 years of age or older.
- There is a national cumulative rate for laboratory-confirmed influenza-associated hospitalizations of 4.1 per 100, 000 population.
- So far this year, 3,559 influenza A specimens were collected and tested by public health laboratories, 69.1% subtyped as the 2009 H1N1 virus, 27.5% subtyped as the H3 virus, and the rest were not subtyped.
- Nationally, 228 of the influenza A (H3N2) viruses collected were antigenetically characterized since October 1, 2015. Of those characterized, none were drifted (significantly different) that this year's influenza vaccine.
- Since October 1, 2015, 123 specimens have been characterized nationally as Influenza B. Eighty-eight were subtyped from the Yamagata Lineage leaving thirty-five subtyped from the Victorian Lineage.
- There have been thirteen pediatric deaths nationally so far this season.



Graph 1: Influenza Cases Reported to the Local Health Departments in Stark County.


- ◆ During week six there were eight reports of hospitalized and non-hospitalized influenza. This week last year had 26 reports.
- ◆ This year's reports total at 41 cases. The total number of reports for this week last year was 841.



* All data presented in this weekly report are preliminary and may change as additional information is received.
 * Multiyear averages included in this weekly report do not include the 2009/2010 H1N1 season.

Graph 2: Sentinel Provider Reported Influenza Like Illness (ILI) in Stark County.


◆ During week six, the percentage of visits for ILI increased from both the Stark County sentinel providers reports and the national reports. Both rose above the national baseline.



Graph 3: Emergency Department Visits for Respiratory and Constitutional Syndromes.

(Source: Health Monitoring Systems, EpiCenter, Hospital and Stat Care Patient Registration Surveillance System)


◆ During week six, ED and Stat Care visits for respiratory and constitutional syndrome increased slightly and remained above the multi-year baseline.



Graph 4: Emergency Department (ED) Visits for Influenza Like Illness (+Fever).

(Source: Health Monitoring Systems, EpiCenter, Hospital and Stat Care Patient Registration Surveillance System)

◆ ED and Stat Care visits for ILI + Fever increased during week six, and remained above the multi-year baseline.




* All data presented in this weekly report are preliminary and may change as additional information is received.

* Multiyear averages included in this weekly report do not include the 2009/2010 H1N1 season.

Graph 5: Stark County School Absenteeism.

(Source: Voluntary reporting by multiple school districts throughout the county)


◆ During week six, both the overall median absenteeism and the median influenza-like-illness absenteeism increased.



Map: Weekly Geographic

Influenza Activity Estimates Reported by State and Territorial Epidemiologists Syndromes. (Source: Health Monitoring Systems, EpiCenter, hospital and stat care patient registration surveillance system)

◆ During week six, Ohio increased to regional spread of influenza activity.



*This map indicates geographic spread and does not measure the severity of influenza activity.

* All data presented in this weekly report are preliminary and may change as additional information is received.

* Multiyear averages included in this weekly report do not include the 2009/2010 H1N1 season.